



PRICE LIST

TECHNICAL INSULATION
VALID FROM 1ST OCTOBER 2022
GERMANY

INDUSTRIAL APPLICATIONS



PAROC[®]

TABLE OF CONTENTS

Contact Us	3	PAROC Pro Roof Slab 80 kPa	30
PAROC products for industrial applications	4	PAROC Pro Slab WR 350	31
Pipe Sections		PAROC Pro Slab WR 350 AluCoat	31
PAROC Pro Section WR 100	6	PAROC Pro Slab WR 450	32
PAROC Pro Section WR 120	8	PAROC Pro Slab WR 450 AluCoat	32
PAROC Pro Section WR 140	8	PAROC Pro Slab WR 640	33
PAROC Pro Section WR DL 100	9	PAROC Pro Slab WR 640 AluCoat	33
PAROC Pro Section WR DL 120	10	PAROC Pro Slab WR 660	34
PAROC Pro Section WR DL 140	10	PAROC Pro Slab WR 660 AluCoat	34
PAROC Pro Curve WR 100 DL	11	PAROC Pro Slab WR 680	35
PAROC Pro Curve WR 120 DL	11	PAROC Pro Slab WR 680 AluCoat	35
PAROC Pro Curve WR 140 DL	11	PAROC Pro Slab WR 700	36
PAROC Pro Curve WR 100	11	PAROC Pro Slab WR 700 AluCoat	36
PAROC Pro Curve WR 120	11	Mats	
PAROC Pro Curve WR 140	11	PAROC Pro Mat 50	37
PAROC Pro Section WR DL1	12	PAROC Pro Mat 50 AluCoat	37
PAROC Pro Lock WR 100	13	PAROC Pro Mat 70	38
PAROC Pro Lock WR 140	14	PAROC Pro Mat 70 AluCoat	38
Bends and Segments		PAROC Pro Mat 80	39
PAROC Pro Segment WR 100	15	PAROC Pro Mat 80 AluCoat	39
PAROC Pro Segment WR 120	15	PAROC Pro Mat 100	40
PAROC Pro Segment WR 140	16	PAROC Pro Mat 100 AluCoat	40
PAROC Pro Segment WR 100 DL	16	PAROC Pro Loose Mat 50	41
PAROC Pro Segment WR 120 DL	17	PAROC Pro Loose Mat 70	41
PAROC Pro Segment WR 140 DL	17	PAROC Pro Loose Mat 80	42
PAROC Pro Segment WR DL1	18	PAROC Pro Loose Mat 100	43
PAROC Pro Bend WR 100	19	Clad System	
PAROC Pro Bend WR 120	19	PAROC Pro Section 140 Clad T	44
PAROC Pro Bend WR 140	20	PAROC Pro Segment 140 Clad	44
Lamella Mats		PAROC Pro Bend 140 Clad	44
PAROC Pro Lamella Mat WR AluCoat	21	PAROC Pro Curve Clad (WR)	44
PAROC Pro Lamella Mat AluCoat	21	PAROC Pro Lamella Mat Clad	46
PAROC Pro Lamella Mat WR 80 AluCoat	22	PAROC Clad Dots	47
PAROC Pro Lamella Mat 80 AluCoat	22	PAROC Clad Tape	47
PAROC Pro Lamella Mat WR 100 AluCoat	22	PAROC Clad Alu Tape	47
PAROC Pro Lamella Mat 100 AluCoat	22	PAROC Pro Roof Wedge	47
Wired Mats		Accessories	
PAROC Pro Wired Mat WR 550	23	PAROC Pallet Hoods	49
PAROC Pro Wired Mat WR 550 AL1	23	PAROC Pro Knives	49
PAROC Pro Wired Mat WR 660	24	PAROC Spatula	49
PAROC Pro Wired Mat WR 660 AluCoat	24	PAROC CUI Spacers	49
PAROC Pro Wired Mat WR 660 AL1	24	PAROC Head Pins Insulated	50
PAROC Pro Wired Mat 80 Comfort	24	PAROC Head Pins	50
PAROC Pro Wired Mat LE 80	24	PAROC Welding Device	51
PAROC Pro Wired Mat LE 80 Comfort	24	PAROC Hvac AluCoat Tape	51
PAROC Pro Wired Mat WR 680	25	PAROC Hvac Alu Tape	51
PAROC Pro Wired Mat WR 680 AluCoat	25	PAROC HT Tape	52
PAROC Pro Wired Mat WR 680 AL1	25	PAROC Hvac Dots	52
PAROC Pro Wired Mat 100 Comfort	25	PAROC Pro Cladding Support 100 and 140	52
PAROC Pro Wired Mat LE 100	25		
PAROC Pro Wired Mat LE 100 Comfort	25		
PAROC Pro Wired Mat WR 130	26		
PAROC Pro Wired Mat WR 130 AluCoat	26		
PAROC Pro Wired Mat WR 130 AL1	26		
Slabs			
PAROC Pro Roof Slab WR 20 kPa	27		
PAROC Pro Roof Slab 30 kPa	28		
PAROC Pro Roof Slab WR 50 kPa	29		



PAROC PRO

products for industrial applications are tested
according to both ASTM and EN standards

**Quick access: Click on the desired product or content page to immediately navigate to it.
Clicking on 'Table of Contents' will direct you back to the index page.
Hyperlinks will take you to relevant additional pages or research sources.**

CONTACT US

PAROC GmbH

Phone: +49 (0) 40 33 49 60000

Paroc.de@owenscorning.com

ask your local sales representative for updated terms and conditions

- Paroc headquarters
- Production site / branch
- ▲ Sales office



INTERNATIONAL CONTACTS

Segment Manager Industry

Rune Hagensen

rune.hagensen@owenscorning.com

Technical Support

Craig Treanor

craig.treanor@owenscorning.com

Marketing Manager Industry

Claudia Beling

claudia.beling@owenscorning.com

PAROC PRODUCTS FOR INDUSTRIAL APPLICATIONS



CONTENTS

PIPE SECTIONS

BENDS AND SEGMENTS

LAMELLA MATS

WIRED MATS

SLABS

MATS


CLAD-SYSTEM

ACCESSORIES

EXPLANATION OF SYMBOLS

TECHNICAL SPECIFICATIONS


Melting point




Non-combustible



Maximum service temperature




Nominal density




DIMENSIONS

Thickness




Width



Length



Inner diameter



Insulation thickness



Section length



ADDITIONAL INFORMATION

Data sheet

Accessories

Installation video

Packing details

Dimension Guide

PIPE SECTIONS


PAROC PRO SECTION WR 100

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side


 **Accessories (pages 49 - 52):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers





INSULATION CODE
10.04.03.50.10
10.04.04.50.10


 **1000 °C**


 **NON-COMBUSTIBLE**


 **640 °C**

 **100 kg/m³**

 **12 - 1016 mm**

 **20 - 160 mm**

 **1200 mm**



Nominal insulation thickness, mm										
Inner diameter mm	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
18	4.30	6.25	9.00	14.25	19.85					
22	4.40	6.55	9.40	14.50	20.30	23.60	32.80			
28	4.45	7.20	10.30	14.75	21.25	26.80	36.10	40.05		
35	4.95	8.10	11.35	15.35	22.30	27.70	37.30	41.90	48.15	
42	5.80	9.35	12.20	16.00	23.85	29.25	39.05	43.40	50.25	
48	6.50	9.90	13.20	16.75	24.45	30.10	40.25	44.80	52.10	
54	7.15	10.55	14.00	17.95	25.25	31.60	41.65	46.10	54.85	
60	7.25	11.00	15.05	18.85	26.05	33.10	42.85	47.95	55.95	
64	8.00	11.45	15.35	19.80	27.10	33.90	44.10	49.20	57.45	
70	9.40	12.50	16.30	20.30	29.05	35.00	45.50	50.90	59.30	
76	10.20	12.70	17.00	21.85	30.55	36.30	46.10	53.00	61.40	76.15
89	11.55	14.40	19.45	24.60	32.55	40.20	48.15	58.10	67.20	80.55
102		16.30	21.55	27.35	34.50	42.60	51.00	61.85	70.30	90.25
108		16.55	22.00	28.15	35.65	43.50	52.05	63.85	70.85	91.60
114		16.85	22.40	28.85	36.30	44.35	52.90	65.50	71.75	92.50
127		17.55	23.05	29.80	37.00	44.95	54.05	66.80	73.35	93.50
133		18.30	23.95	30.95	38.35	46.55	56.30	69.85	76.05	94.95



Please email to Paroc.de@owenscorning.com



PIPE SECTIONS

PAROC PRO SECTION WR 100

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers

Nominal insulation thickness, mm										
Inner diameter mm	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
140		19.45	25.70	32.65	40.30	48.50	57.65	71.90	77.50	98.00
159		21.20	27.35	34.75	42.40	50.80	60.75	77.80	81.85	104.60
168		29.20	32.10	39.85	50.95	60.40	72.95	82.25	94.00	110.25
194		33.05	36.70	44.40	55.80	65.95	78.70	88.45	101.40	119.55
219		36.90	39.65	49.20	60.65	71.55	85.65	96.00	109.55	128.75
245		43.40	53.50	64.05	72.70	82.80	95.85	108.45	122.30	150.75
273		47.30	58.45	67.20	76.80	86.65	100.70	123.30	129.30	160.50
305			63.35	75.30	79.85	93.70	109.05	127.15	140.05	170.60
324			66.60	76.85	91.10	98.20	123.65	132.90	151.35	177.60
356			72.35	84.10	97.75	106.35	124.65	141.10	156.90	188.20
371			74.25	85.75	100.85	109.60	126.30	145.35	165.75	191.90
406			80.20	92.70	108.70	129.50	137.05	155.60	177.00	213.40
457			88.50	103.55	119.55	131.60	151.30	171.50	190.45	220.75
508				116.30	127.45	140.80	161.80	184.35	220.75	261.40
533				120.45	135.75	148.20	169.40	192.20	224.10	265.10
558				124.45	144.05	155.70	176.85	199.85	230.15	272.75
612				129.70	150.35	169.00	188.35	214.95	242.15	288.15
714				146.90	176.25	201.05	213.90	274.05	287.80	343.35
813				167.25	194.65	235.25	271.20	0.00	315.60	462.80
914				269.55	307.70	326.70	366.85	387.75	554.40	618.60








PIPE SECTIONS

PAROC PRO SECTION WR 120

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com







PIPE SECTIONS

PAROC PRO SECTION WR 140

PAROC Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com

PIPE SECTIONS


PAROC PRO SECTION WR DL 100

Stonewool pipe section in two layers for industrial pipelines


 **Accessories (pages 49 - 52):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers







INSULATION CODE
10.04.03.50.10/
10.04.04.50.10


1000 °C


NON-COMBUSTIBLE


640 °C


100 kg/m³



Watch our video
on energy efficiency with
PAROC Pro Sections!



Need prices? Please email to Paroc.de@owenscorning.com







PIPE SECTIONS

PAROC PRO SECTION WR DL 120

Stonewool pipe section in two layers for industrial pipelines



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com







PIPE SECTIONS

PAROC PRO SECTION WR DL 140

PAROC Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com

PIPE SECTIONS

PAROC PRO CURVE WR 100 DL
PAROC PRO CURVE WR 120 DL
PAROC PRO CURVE WR 140 DL





Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers

PAROC Pro Section WR 120 is a non-combustible stonewool pipe section for industrial pipe lines where the risk of CUI (corrosion under insulation) is present



INSULATION CODE
10.08.03.50.10/ 10.08.04.50.10 (100) 10.08.04.60.12 (120) 10.08.04.80.14 (140)



Watch our video
on energy efficiency with
PAROC Pro Sections!



Need prices? Please email to Paroc.de@owenscorning.com

PIPE SECTIONS

PAROC PRO CURVE WR 100
PAROC PRO CURVE WR 120
PAROC PRO CURVE WR 140






Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers

PAROC Pro Section WR 120 is a non-combustible stonewool pipe section for industrial pipe lines where the risk of CUI (corrosion under insulation) is present



INSULATION CODE
10.08.03.50.10/ 10.08.04.50.10 (100) 10.08.04.40.12 (120) 10.08.04.80.14 (140)



Watch our video
on energy efficiency with
PAROC Pro Sections!



WR 100 WR 120 WR 140

Need prices? Please email to Paroc.de@owenscorning.com

PIPE SECTIONS

PAROC PRO SECTION WR DL1







Stonewool pipe section in 2 layers for industrial pipe lines



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



INSULATION CODE
10.04.03.50.10/
10.04.04.50.10 (100)
10.04.04.80.14 (140)



Need prices? Please email to Paroc.de@owenscorning.com






PIPE SECTIONS

PAROC PRO LOCK WR 100

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Nominal insulation thickness, mm					
Inner diameter mm	80	100	120	140	160
	€/m	€/m	€/m	€/m	€/m
219	117.00	143.15	167.40	205.65	256.10
245	136.50	164.20	197.05	225.95	264.50
273	148.55	173.85	201.60	247.90	286.30
305	150.40	190.95	232.85	255.80	307.90
324	166.65	199.05	239.30	285.45	324.55
356	171.95	213.10	246.85	297.15	341.90
371	174.10	207.90	256.55	302.55	358.20
406	188.90	237.45	277.70	316.00	372.00
457	208.70	258.95	294.60	344.70	385.90
508	223.20	279.55	315.70	358.85	501.20
533	233.60	284.15	364.90	426.80	561.80
558	243.95	317.40	385.45	451.40	593.90
612	259.70	355.90	432.80	481.75	631.95
714	368.80	446.15	552.65	628.35	758.25
813	467.40	543.80	608.55	693.40	
914	505.75	629.75	702.80		



Please email to Paroc.de@owenscorning.com



PIPE SECTIONS


PAROC PRO LOCK WR 140

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams


 **Accessories (pages 49 - 52):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers





INSULATION CODE
10.04.04.80.14



1000 °C



NON-COMBUSTIBLE



680 °C


140 kg/m³

 219 - 914 mm

 20 - 160 mm

 1200 mm



Need prices? Please email to Paroc.de@owenscorning.com





BENDS AND SEGMENTS

PAROC PRO SEGMENT WR 100

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com






BENDS AND SEGMENTS

PAROC PRO SEGMENT WR 120

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers







Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS

PAROC PRO SEGMENT WR 140

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



Need prices? Please email to Paroc.de@owenscorning.com







Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers

BENDS AND SEGMENTS

PAROC PRO SEGMENT WR 100 DL

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Need prices? Please email to Paroc.de@owenscorning.com



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers







BENDS AND SEGMENTS

PAROC PRO SEGMENT WR 120 DL

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com






BENDS AND SEGMENTS

PAROC PRO SEGMENT WR 140 DL

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS

PAROC PRO SEGMENT WR DL1






Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



INSULATION CODE
10.08.03.50.10/
10.08.04.50.10 (100)
10.08.04.80.14 (140)



Need prices? Please email to Paroc.de@owenscorning.com







BENDS AND SEGMENTS

PAROC PRO BEND WR 100

Prefabricated insulation component made of stonewool



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com






BENDS AND SEGMENTS

PAROC PRO BEND WR 120

Prefabricated insulation component made of stonewool



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC CUI Spacers



Need prices? Please email to Paroc.de@owenscorning.com

BENDS AND SEGMENTS


PAROC PRO BEND WR 140

Prefabricated insulation component made of stonewool


 **Accessories (pages 49 - 52):**
PAROC Pro Knife XTK001/003
PAROC CUI Spacers





INSULATION CODE
10.08.04.80.14


1000 °C


NON-COMBUSTIBLE


680 °C


140 kg/m³

 15 - 168 mm

 30 - 100 mm


MARKET LEADING
WATER REPELLENCY



WATER
RELIABLE
OUTER

Need prices? Please email to Paroc.de@owenscorning.com






LAMELLA MATS

PAROC PRO LAMELLA MAT WR ALUCOAT
PAROC PRO LAMELLA MAT ALUCOAT

Stonewool lamella mat laminated on one side with a grid-reinforced aluminum foil



INSULATION CODE
10.03.02.99.05



Thickness	Length	m ² / Package	m ² / Pal.	Price
mm	mm			€/m ²
30	8000	8.00	200.00	16.25
40	6000	6.00	150.00	20.00
50	5000	5.00	125.00	22.50
60	4000	4.00	100.00	26.05
70	3500	3.50	87.50	30.00
80	3000	3.00	75.00	32.55
90	2500	2.50	62.50	36.80
100	2500	2.50	50.00	38.65
110	2400	2.40	24.00	45.95
120	2400	2.40	24.00	50.50








Please email to Paroc.de@owenscorning.com



LAMELLA MATS

PAROC PRO LAMELLA MAT WR 80 ALUCOAT
PAROC PRO LAMELLA MAT 80 ALUCOAT

Non-combustible stone wool insulation for thermal and condensation insulation of ventilation ducts and equipment. It has a reinforced aluminium foil facing



Accessories (pages 49 - 52):







PAROC AluCoat Tape
 PAROC Alu Tape
 PAROC HT Tape
 PAROC Hvac Dots
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Spatula
 PAROC Welding Device

Need prices? Please email to Paroc.de@owenscorning.com

LAMELLA MATS

PAROC PRO LAMELLA MAT WR 100 ALUCOAT
PAROC PRO LAMELLA MAT 100 ALUCOAT

Stonewool lamella mat laminated on one side with a grid-reinforced aluminum foil



Accessories (pages 49 - 52):

PAROC AluCoat Tape
 PAROC Alu Tape
 PAROC HT Tape
 PAROC Hvac Dots
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Spatula
 PAROC Welding Device

Need prices? Please email to Paroc.de@owenscorning.com


WIRED MATS

PAROC PRO WIRED MAT WR 550
PAROC PRO WIRED MAT WR 550 AL1


Stonewool wired mat with galvanized net. Available also with stainless steel net and/or sewing wire with water-repellent features




Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC HT Tape
 PAROC Pro Cladding Support





INSULATION CODE
 10.01.02.50.07



 1000 °C


 NON-COMBUSTIBLE


 600 °C


 70 kg/m³


 30 - 120 mm


 500/600/900/1000 mm


 2000 - 8000 mm


 MARKET LEADING
 WATER REPELLENCY



Need prices? Please email to Paroc.de@owenscorning.com

WIRED MATS

- PAROC PRO WIRED MAT WR 660
- PAROC PRO WIRED MAT WR 660 ALUCOAT
- PAROC PRO WIRED MAT WR 660 AL1
- PAROC PRO WIRED MAT 80 COMFORT*
- PAROC PRO WIRED MAT LE 80*
- PAROC PRO WIRED MAT LE 80 COMFORT*

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC HT Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh





INSULATION CODE
10.01.02.50.08

1000 °C

NON-COMBUSTIBLE

660 °C

80 kg/m³



*only available in certain markets

Thickness	Length mm	m ² / Package	m ² / Pal.	Price
mm	mm			€/m ²
				Plain
30	7000	7.00	147.00	14.05
40	5000	5.00	105.00	16.85
50	5000	5.00	105.00	19.15
60	4000	4.00	84.00	21.35
70	3500	3.50	73.50	23.80
80	3500	3.50	73.50	25.70
90	3000	3.00	63.00	28.50
100	2500	2.50	52.50	30.30
120	2000	2.00	42.00	34.90



Please email to Paroc.de@owenscorning.com




WIRED MATS

- PAROC PRO WIRED MAT WR 680
- PAROC PRO WIRED MAT WR 680 ALUCOAT
- PAROC PRO WIRED MAT WR 680 AL1
- PAROC PRO WIRED MAT 100 COMFORT*
- PAROC PRO WIRED MAT LE 100*
- PAROC PRO WIRED MAT LE 100 COMFORT*

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC HT Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh





INSULATION CODE
10.01.03.60.10

1000 °C

NON-COMBUSTIBLE

680 °C

100 kg/m³



*only available in certain markets

Thickness	Length mm	m ² / Package	m ² / Pal.	Price
mm	mm			€/m ²
				Plain
30	7000	6.00	147.00	17.30
40	5000	5.00	105.00	20.45
50	4500	4.50	94.50	22.90
60	4000	4.00	84.00	26.60
70	3500	3.50	73.50	29.35
80	3500	3.50	73.50	31.75
90	3000	3.00	63.00	35.45
100	2500	2.50	52.50	37.60
120	2000	2.00	42.00	44.10



Please email to Paroc.de@owenscorning.com



WIRED MATS

PAROC PRO WIRED MAT WR 130*
PAROC PRO WIRED MAT WR 130 ALUCOAT*
PAROC PRO WIRED MAT WR 130 AL1*

Stonewool mat with wire thread quilting on galvanized wire mesh

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC HT Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Pro Cladding Support




INSULATION CODE
 10.01.04.60.13

1000 °C

NON-COMBUSTIBLE

680 °C

130 kg/m³



*not available in all markets

Thickness mm	Length mm	m ² / Package	m ² / Pal.	Price
				€/m ² Plain
30	6000	6.00	126.00	26.00
40	5000	5.00	105.00	30.35
50	4500	4.00	94.50	37.15
60	4000	4.00	84.00	43.10
70	3000	3.00	63.00	47.60
80	2500	1.50	52.50	51.85
90	2500	1.25	52.50	57.40
100	2000	1.25	42.00	61.15



Please email to Paroc.de@owenscorning.com



LOOKING FOR HIGHER TEMPERATURE RESISTANCE?

W2 - stainless steel wire mesh and thread; **SW2** - galvanized wire mesh and stainless steel thread

PAROC Pro Wired Mat 550 W2 and PAROC Pro Wired Mat 550 SW2
PAROC Pro Wired Mat 660 W2 and PAROC Pro Wired Mat 660 SW2
PAROC Pro Wired Mat 680 W2 and PAROC Pro Wired Mat 680 SW2
PAROC Pro Wired Mat 130 W2 and PAROC Pro Wired Mat 130 SW2

SLABS



PAROC PRO ROOF SLAB WR 20 kPa

Non-combustible stonewool slab

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Hvac AluCoat Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC Alu Tape
 PAROC HT Tape



INSULATION CODE
 10.07.01.99.09



50 - 160 mm

600 mm

1200 mm



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
50	1200	600	2.88	69.12	27.25
60	1200	600	2.88	57.60	32.70
80	1200	600	2.16	43.20	43.55
100	1200	600	1.44	34.56	54.35
120	1200	600	1.44	28.80	65.20






Please email to Paroc.de@owenscorning.com



SLABS

PAROC PRO ROOF SLAB 30 kPa*

Non-combustible stonewool slab



 **Accessories (pages 49 - 52):**
PAROC Pro Knife XTK001/003
PAROC Palett Hoods
PAROC Hvac AluCoat Tape
PAROC Head Pins Insulated
PAROC Head Pins
PAROC Welding Device
PAROC Alu Tape
PAROC HT Tape

*only available in certain markets

Need prices? Please email to Paroc.de@owenscorning.com

SLABS



PAROC PRO ROOF SLAB WR 50 kPa

Non-combustible stonewool slab for industrial tank roofs. It is very strong and can withstand up to 50 kPa load during installation and maintenance

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Hvac AluCoat Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC Alu Tape
 PAROC HT Tape



INSULATION CODE
10.07.05.90.15



30 - 140 mm

600 mm

1200 mm



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
40	1200	600	3.60	86.40	31.40
50	1200	600	2.88	69.12	38.50
60	1200	600	2.88	57.60	46.30
80	1200	600	2.16	43.20	62.45
100	1200	600	1.44	34.56	80.60
120	1200	600	1.44	28.80	91.20
140	1200	600	1.44	23.04	106.75








Please email to Paroc.de@owenscorning.com



SLABS

PAROC PRO ROOF SLAB 80 kPa*

Non-combustible stonewool slab for industrial tank roofs. It is very strong and can withstand up to 80 kPa load during installation and maintenance



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC Palett Hoods
PAROC Hvac AluCoat Tape
PAROC Head Pins Insulated
PAROC Head Pins
PAROC Welding Device
PAROC Alu Tape
PAROC HT Tape

Need prices? Please email to Paroc.de@owenscorning.com

**only available in certain markets*

SLABS



PAROC PRO SLAB WR 350
PAROC PRO SLAB WR 350 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Hvac AluCoat Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC Alu Tape
 PAROC HT Tape



INSULATION CODE
 10.07.01.20.04



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
40	1200	600	8.64	86.40	9.40
50	1200	600	7.20	72.00	11.35
60	1200	600	5.76	57.60	14.05
80	1200	600	4.32	43.20	18.55
100	1200	600	3.60	36.00	22.70
120	1200	600	2.16	25.92	27.45
140	1200	600	2.16	25.92	34.20



Please email to
Paroc.de@owenscorning.com



SLABS





PAROC PRO SLAB WR 450
PAROC PRO SLAB WR 450 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Hvac AluCoat Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC Alu Tape
 PAROC HT Tape



INSULATION CODE
 10.07.01.30.06



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	10.08	100.80	10.50
40	1200	600	8.64	86.40	12.75
50	1200	600	5.76	69.12	15.00
60	1200	600	5.76	57.60	17.95
80	1200	600	4.32	43.20	23.85
100	1200	600	3.60	36.00	29.30
120	1200	600	2.88	28.80	36.95



Please email to Paroc.de@owenscorning.com



SLABS




PAROC PRO SLAB WR 640
PAROC PRO SLAB WR 640 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Hvac AluCoat Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC Alu Tape
 PAROC HT Tape



INSULATION CODE
10.07.02.30.08



*25 - 250 mm for AluCoat version



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	8.64	103.68	14.65
40	1200	600	5.76	80.64	19.45
50	1200	600	5.04	70.56	23.25
60	1200	600	4.32	51.84	28.65
80	1200	600	2.88	40.32	38.80
100	1200	600	2.16	34.56	47.30
120	1200	600	2.16	25.92	53.80



Please email to Paroc.de@owenscorning.com



SLABS




PAROC PRO SLAB WR 660
PAROC PRO SLAB WR 660 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Hvac AluCoat Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC Alu Tape
 PAROC HT Tape



INSULATION CODE
10.07.02.40.10



*25 - 210 mm for AluCoat version



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	5.76	115.20	19.35
40	1200	600	4.32	86.40	23.20
50	1200	600	3.60	72.00	28.50
60	1200	600	2.88	57.60	34.85
80	1200	600	2.16	43.20	46.20
100	1200	600	1.44	34.56	57.85
120	1200	600	1.44	28.80	70.35



Please email to Paroc.de@owenscorning.com



SLABS



PAROC PRO SLAB WR 680
PAROC PRO SLAB WR 680 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Hvac AluCoat Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC Alu Tape
 PAROC HT Tape



INSULATION CODE
10.07.03.70.12



*25 - 170 mm for AluCoat version



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	5.04	110.88	21.45
40	1200	600	3.60	86.40	30.20
50	1200	600	2.88	69.12	36.10
60	1200	600	2.88	57.60	43.35
80	1200	600	2.16	43.20	60.20
100	1200	600	1.44	34.56	74.60
120	1200	600	1.44	28.80	86.70



Please email to Paroc.de@owenscorning.com



SLABS





PAROC PRO SLAB WR 700
PAROC PRO SLAB WR 700 ALUCOAT

Non-combustible stonewool insulation slab

Accessories (pages 49 - 52):
 PAROC Pro Knife XTK001/003
 PAROC Palett Hoods
 PAROC Hvac AluCoat Tape
 PAROC Head Pins Insulated
 PAROC Head Pins
 PAROC Welding Device
 PAROC Alu Tape
 PAROC HT Tape



INSULATION CODE
10.07.05.90.15



*25 - 140 mm for AluCoat version



Thickness	Length mm	Width	m ² / Package	m ² / Pal.	Price
mm	mm	mm			€/m ²
30	1200	600	5.04	110.88	23.95
40	1200	600	3.60	86.40	32.20
50	1200	600	2.88	69.12	40.50
60	1200	600	2.88	57.60	48.45
80	1200	600	2.16	43.20	64.55
100	1200	600	1.44	34.56	80.65
120	1200	600	1.44	28.80	96.80



Please email to
Paroc.de@owenscorning.com



MATS

PAROC PRO MAT 50*

PAROC PRO MAT 50 ALUCOAT*

Non-combustible stone wool mat for industrial applications



Accessories (pages 49 - 52):

- PAROC AluCoat Tape
- PAROC Alu Tape
- PAROC Pallet Hoods
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Spatula
- PAROC Pro Knife
- PAROC HT Tape
- PAROC Pro Cladding Support



INSULATION CODE
10.06.99.99.50

1000 °C

NON-COMBUSTIBLE


350 °C

50 kg/m³

30 - 120 mm

1000 mm

2500 - 8000 mm



*not available in all markets

Thickness	Length	m ² / Package	m ² / Pal.	Price
				€/m ²
mm	mm			AluCoat
30	8000	8.00	168.00	11.90
40	7000	7.00	147.00	14.10
50	6500	6.50	136.50	16.05
60	6000	6.00	126.00	18.00
80	5000	5.00	105.00	21.95
100	4000	4.00	84.00	25.45
120	2500	2.00	52.50	30.00



Please email to Paroc.de@owenscorning.com



MATS

PAROC PRO MAT 70*

PAROC PRO MAT 70 ALUCOAT*

Non-combustible stone wool mat for industrial applications



Accessories (pages 49 - 52):

- PAROC AluCoat Tape
- PAROC Alu Tape
- PAROC Pallet Hoods
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Spatula
- PAROC Pro Knife
- PAROC HT Tape
- PAROC Pro Cladding Support



INSULATION CODE
10.06.99.99.70

1000 °C

NON-COMBUSTIBLE


350 °C

70 kg/m³

30 - 100 mm

1000 mm

2000 - 8000 mm



**not available in all markets*

Need prices? Please email to Paroc.de@owenscorning.com

MATS

PAROC PRO MAT 80*

PAROC PRO MAT 80 ALUCOAT*

Non-combustible stone wool mat for industrial applications



Accessories (pages 49 - 52):

- PAROC AluCoat Tape
- PAROC Alu Tape
- PAROC Pallet Hoods
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Spatula
- PAROC Pro Knife
- PAROC HT Tape
- PAROC Pro Cladding Support



INSULATION CODE
10.06.99.99.80

1000 °C

NON-COMBUSTIBLE


550 °C

80 kg/m³

30 - 120 mm

1000 mm

2000 - 8000 mm



*not available in all markets

Need prices? Please email to Paroc.de@owenscorning.com

MATS

PAROC PRO MAT 100*

PAROC PRO MAT 100 ALUCOAT*

Non-combustible stone wool mat for industrial applications



Accessories (pages 49 - 52):

- PAROC AluCoat Tape
- PAROC Alu Tape
- PAROC Pallet Hoods
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Spatula
- PAROC Pro Knife
- PAROC HT Tape
- PAROC Pro Cladding Support



INSULATION CODE
10.06.99.99.10

1000 °C

NON-COMBUSTIBLE


550 °C

100 kg/m³

30 - 120 mm

1000 mm

2000 - 8000 mm



*not available in all markets

Need prices? Please email to Paroc.de@owenscorning.com






MATS

PAROC PRO LOOSE MAT 50

Stonewool mat with low binder content



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC Welding Device
PAROC Pallet Hood



Need prices? Please email to Paroc.de@owenscorning.com






MATS

PAROC PRO LOOSE MAT 70

Stonewool mat with low binder content



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC Welding Device
PAROC Pallet Hood



Need prices? Please email to Paroc.de@owenscorning.com

MATS

PAROC PRO LOOSE MAT 80


Stonewool mat with low binder content



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC Welding Device
PAROC Pallet Hood




INSULATION CODE
10.06.99.99.08




1000 °C




NON-COMBUSTIBLE




600 °C



80 kg/m³



40 - 120 mm



1000 mm



2000 - 6500 mm



Need prices? Please email to Paroc.de@owenscorning.com





MATS

PAROC PRO LOOSE MAT 100

Stonewool mat with low binder content



Accessories (pages 49 - 52):
PAROC Pro Knife XTK001/003
PAROC Welding Device
PAROC Pallet Hood



Need prices? Please email to Paroc.de@owenscorning.com


CLAD-SYSTEM

PAROC PRO SECTION 140 CLAD T






Stonewool pipe section with a uv-resistant, fibre reinforced aluminium coating

Accessories (pages 49 - 52):
 PAROC Clad Tape
 PAROC Pro Knife XTK001/003
 PAROC Pallet Hoods
 PAROC Clad Alu Tape

NEW! **ADDITIONAL SYSTEM PRODUCTS:**
 PAROC Pro Segment 140 Clad
 PAROC Pro Bend 140 Clad
 PAROC Pro Curve Clad (WR)



INSULATION CODE
 10.04.04.80.14



Video PAROC Clad-System

Inner diameter mm	Nominal insulation thickness, mm									
	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
18		14.60	18.70	24.75	31.85					
22		14.90	19.55	26.85	32.80	41.00	47.65			
28	11.55	16.30	20.20	26.90	34.95	42.30	50.55			
35	12.30	16.85	22.30	28.45	35.35	44.05	51.20	59.30	65.80	
42	13.95	18.70	24.60	29.35	37.10	44.35	53.00	59.95	68.05	
48	15.50	20.75	24.75	31.05	37.60	46.40	53.60	62.55	69.95	
54	15.85	20.85	25.50	32.00	39.40	46.75	55.60	63.05	71.90	
60	17.15	21.05	27.30	32.45	39.80	48.90	56.30	65.45	73.25	
64	17.25	22.90	27.85	34.65	39.85	49.00	56.65	66.20	74.10	100.45
70	21.55	23.75	29.75	34.95	42.30	49.60	58.30	66.65	76.20	101.40
76	22.05	25.50	30.45	37.15	42.85	51.60	58.75	68.70	77.05	102.65
89	24.45	27.70	32.55	39.65	45.60	53.80	60.50	70.55	79.00	107.25
102	26.95	30.10	35.35	42.75	48.20	56.75	63.95	73.85	81.30	110.65
108		30.65	37.15	42.85	50.80	57.50	65.95	74.15	83.45	112.70
114		32.60	37.95	45.25	51.30	59.95	66.90	76.45	84.35	113.75
127		34.35	39.90	46.75	53.00	61.90	69.05	82.30	86.05	116.90
133		35.25	42.20	48.30	56.45	63.65	72.70	84.35	90.35	119.85



Please email to Paroc.de@owenscorning.com



CLAD-SYSTEM

PAROC PRO SECTION 140 CLAD T

Stonewool pipe section with a uv-resistant, fibre reinforced aluminium coating



Accessories (pages 49 - 52):

PAROC Clad Tape
 PAROC Pro Knife XTK001/003
 PAROC Pallet Hoods
 PAROC Clad Alu Tape

Nominal insulation thickness, mm										
Inner diameter mm	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
140		37.30	42.90	50.90	57.35	66.35	73.85	88.45	91.65	122.30
159		39.90	47.25	53.80	61.95	69.60	78.90	92.35	97.60	128.30
168		51.75	59.30	65.15	74.20	85.35	95.00	107.95	119.45	147.75
194		58.25	66.25	74.45	81.95	93.80	105.10	118.90	131.20	
219		65.80	72.00	79.90	87.70	99.50	110.00	123.65	135.75	165.85
245		85.00	96.85	108.60	119.25	133.45	145.85	162.80	179.55	202.25
273		92.75	105.60	113.90	125.75	139.60	158.45	174.00	180.25	214.25
305								173.05	188.45	223.40
324								183.50	198.60	236.00
356								188.35	202.00	240.60
371								202.60	218.95	253.95
406								221.85	238.65	276.45
457								240.10	262.70	306.25

CLAD-SYSTEM

PAROC PRO LAMELLA MAT CLAD

Stonewool lamella mat with UV-resistant, fibre reinforced aluminium coating




Accessories (pages 49 - 52):

- PAROC Clad Tape
- PAROC Clad Dots
- PAROC Clad AluTape
- PAROC Head Pins Insulated
- PAROC Pro Knife XTK001/003
- PAROC Schweißgerät - ZTM 100
- PAROC Spatula
- PAROC Pallet Hoods
- PAROC Pro Roof Wedge



INSULATION CODE
10.03.02.99.05



20-100 mm

1000 mm

2400 - 10000 mm



Video PAROC Clad-System

Thickness	Length	m ² / Package	m ² / Pal.	Price
mm	mm			€/m ²
20	10000	10.00	250.00	47.70
30	8000	8.00	200.00	49.60
40	6000	6.00	150.00	52.60
50	5000	5.00	125.00	54.45
60	2400		48.00	56.95
70	2400		40.80	60.25
80	2400		36.00	62.00
100	2400		28.80	66.80



Please email to Paroc.de@owenscorning.com



CLAD-SYSTEM ACCESSORIES

PAROC CLAD DOTS

PAROC Clad Dots are the optimal solution when it comes to cover pins' heads.



Application

- Fast, clean, generates a good looking, smooth, gapless and tight insulation surface. No risk of condensation. It is also very easy to lift the single dot from the release paper

Ø mm	Piece / roll	Rolls per box	Price
mm			€/box
90	100	6	778.05

PAROC CLAD TAPE

Water resistant acrylic tape with very high tack and very high ageing resistance.



Application

- Used amongst others for masking of Clad faced products. The Clad sealing tape can be used as moisture and diffusion barriers; ideal for sealing the joints when using PAROC Clad products.
- Permanently seal pipes and ventilation ducts facings in heating, ventilation and air conditioning engineering. The butyl sealing tapes are also used as moisture and diffusion barriers in underground construction. PAROC Clad Tape gives a great finish and safe installation

Length mm	Width mm	Rolls per box	Price
mm	mm		€/roll
10000	30	20	13.30
10000	50	12	19.95
10000	75	8	29.85
10000	100	6	39.75

PAROC CLAD ALU TAPE

Water resistant acrylic tape with very high tack and very high ageing resistance for pipe elbows



Application


- Used amongst others for masking elbows of Clad faced pipe sections. The Clad sealing tape can be used as moisture and diffusion barriers; ideal for sealing the joints when using PAROC Clad pipe sections
- Permanently seal pipes and ventilation ducts facings in heating, ventilation and air conditioning engineering. The butyl sealing tapes are also used as moisture and diffusion barriers in underground construction. PAROC Clad Tape gives a great finish and safe installation

Need prices? Please email to Paroc.de@owenscorning.com

Length m	Width mm	Rolls per box
10	50	12

PAROC PRO ROOF WEDGE

Stone wool wedge plate with a gradient of at least 3%



Need prices? Please email to Paroc.de@owenscorning.com

Thickness mm	Length mm	Width mm
25/60	1200	600
42/60	1200	600

SELECTION TABLE

FOR MULTILAYER PIPE INSULATION PIPE SECTIONS AND SEGMENTS

Inner diameter mm	Nominal insulation thickness, mm															
	20	25	30	40	50	60	70	80	90	100	110	120	130	140	150	160
	Outer diameter, mm															
12/15	52	62	72	92	115											
18	62	72	82	102	115	141										
22	62	72	82	102	128	141	167	180								
28	72	82	92	102	128	154	167	193								
35	72	82	92	115	141	154	180	193	219	232						
42	82	92	102	128	141	167	180	206	219	245						
48	92	102	115	128	154	167	193	206	232	245						
54	92	102	115	128	154	180	193	219	232	258						
57	102	102	115	141	154	180	193	219	232	258						
60	102	115	115	141	154	180	206	219	245	258						
64	102	115	128	141	167	180	206	219	245	258	284	310				
70	115	115	128	154	167	193	206	232	245	271	284	310				
76	115	128	141	154	180	193	219	232	258	271	297	310				
84			141	167	180	206	219	245	258	284	310	323				
89	128	141	154	167	193	206	232	245	271	284	310	323				
102	141	154	167	180	206	219	245	258	284	297	323	336				
108		154	167	193	206	232	245	271	284	310	323	349				
114		167	180	193	219	232	258	271	297	310	336	349				
121		167	180	206	219	245	258	284	297	323	336	362				
127		180	193	206	232	245	271	284	310	323	349	362				
133		180	193	219	232	258	271	297	310	336	349	375				
140		193	206	219	245	258	284	297	323	336	362	375				
156		206	219	232	258	271	297	310	336	362	375	401				
159		206	219	245	258	284	297	323	336	362	375	401				
168		219	232	245	271	284	310	323	349	362	388	414				
178		232	232	258	284	297	323	336	362	375	401	414				
194		245	258	271	297	310	336	349	375	388	414					
208			271	284	310	323	349	362	388	414	427					
219			284	297	323	336	362	375	401	414	440	453	479	505	518	544
230			284	310	336	349	375	388	414	427	453	466	492	505	531	544
240			297	323	336	362	375	401	414	440	466	479	505	518	544	557
245			310	323	349	362	388	401	427	440	466	479	505	531	544	570
259			323	336	362	375	401	414	440	453	479	505	518	544	557	583
273			336	349	375	388	414	427	453	479	492	518	531	557	570	596
289			349	375	388	414	427	453	466	492	505	531	544	570	583	609
295			349	375	401	414	440	453	479	492	518	531	557	570	596	609
305			362	388	401	427	440	466	479	505	531	544	570	583	609	622
324			388	401	427	440	466	479	505	518	544	570	583	609	622	648
356			414	440	453	479	492	518	531	557	570	596	622	635	661	674
371			427	453	466	492	505	531	557	570	596	609	635	648	674	687
377			440	453	479	492	518	531	557	583	596	622	635	661	674	700
406			466	492	505	531	544	570	583	609	622	648	661	687	700	726
426			492	505	531	544	570	583	609	622	648	661	687	700	726	752
457			518	531	557	583	596	622	635	661	674	700	713	739	752	778
479			544	557	583	596	622	635	661	674	700	713	739	765	778	804
490			544	570	596	609	635	648	674	687	713	726	752	765	791	804
508			570	583	609	622	648	674	687	713	726	752	765	791	804	830
533				609	635	648	674	687	713	739	752	778	791	817	830	856
558				635*	661	674	700	713	739	752	778	804	817	843	856	882
612				687*	713	726	752	778	791	817	830	856	869	895	908	934
630				713*	726	752	765	791	804	830	856	869	895	908	934	947
665				739*	765	791	804	830	843	869	882	908	921	947	960	986
714					817	830	856	869	895	908	934	960	973	999	1012	1038*
720					817	843	856	882	895	921	934	960	986	999	1025	1038*
762					856	882	908	921	947	960	986	999	1025	1038	1064*	1077*
813					908	934	947	973	999	1012	1038	1051	1077	1090	1116*	1129*
822					921	947	960	986	999	1025	1038	1064	1077	1103	1116	1142
914					1012	1038	1051	1077	1090	1116	1129	1155	1168	1194	1220	
1016							1155	1181	1194	1220						

Blank box - not made

414 Underlined - delivered hinged or halves (F1) according to request (F1 disallows AluCoat T)

427 Red - delivered only in halves (F1)

Not made with facings

Not made in 140 kg density

635* Red with asterisk - not made in WR 140 kg density

Boundary of selection available with facing AluCoat T

Boundary of selection available as Pro Lock

ACCESSORIES

PAROC PALLET HOODS



Application

- Protective, waterproof hood ideal for covering pallets against dirt, moisture and dust

Length mm	Width mm	Max. pallet size in mm	PU	Price
mm	mm	mm		€/pc
1600	3300	1200 x 1200	10	15.50
1600	2100	1200 x 1200	10	12.05

PAROC PRO KNIFE – XTK 001



- Particularly suitable for cutting PAROC products (Clad systems)
- Number scale on the blade (determination of insulation thickness)

Blade	Grind blade	Item	Price
mm			€/pcs
approx.300	Serrated edge (serrated)	XTK 001	20.25

PAROC PRO KNIFE – XTK 003




- Suitable for cutting PAROC products
- Number scale on the blade (determination of insulation thickness)

Blade	Grind blade	Item	Price
mm			€/pcs
approx.300	Smooth finish	XTK 003	11.15

PAROC SPATULA

Plastic spatula for supporting pressure and for optical smoothing of the tape



Length	Width	PU	Price
mm		Pieces / box	€/box
100	70	20	27.40

PAROC CUI SPACERS



Need prices? Please email to Paroc.de@owenscorning.com

ACCESSORIES

PAROC HEAD PINS INSULATED



Application

- Fastening of PAROC products

Technical specifications

- Pin made of St37 copper-plated and insulated
- Plate made of St37 galvanized

Length	Plate diameter	Number of pieces/Package	Price
mm	mm		€/package
19.0	30	1000	116.65
22.2	30	1000	118.35
28.5	30	1000	123.00
30.5	30	1000	123.80
38.0	30	1000	126.55
41.0	30	1000	126.90
47.6	30	1000	129.05
50.0	30	1000	148.05
54.0	30	1000	149.05
58.0	30	1000	150.15
60.5	30	1000	150.70
62.0	30	1000	152.10
68.0	30	500	77.60
72.0	30	500	78.65
78.0	30	500	80.15
89.0	30	500	88.45
98.5	30	500	94.40
101.6	30	500	95.50

PAROC HEAD PINS



Application

- Fastening of PAROC products

Technical specifications

- Pin made of St37 copper-plated and insulated
- Plate made of St37 galvanized

Length	Plate diameter	Number of pieces/Package	Price
mm	mm		€/package
19.0	30	1000	173.00
22.2	30	1000	174.75
28.5	30	1000	179.10
30.5	30	1000	180.00
38.0	30	1000	180.95
41.0	30	1000	182.60
47.6	30	1000	183.15
50.0	30	1000	185.15
54.0	30	1000	186.00
58.0	30	1000	186.90
60.5	30	1000	187.75
62.0	30	1000	188.25
68.0	30	500	94.75
72.0	30	500	96.05
78.0	30	500	97.00
89.0	30	500	98.25
98.5	30	500	105.15
101.6	30	500	110.25

ACCESSORIES

PAROC WELDING DEVICE



Application

- The PAROC capacitor discharge welding device PPWD has been designed for welding directly through the insulation. With this, you will be able to fasten the insulation to a surface in a one process step.

Capacity	Energy supply	Welding time	Weight	Size	Warranty	Price
µF		ms	kg	mm	months	€/pcs
132.000	230 V, 10A fuse protection	from 1 to 3	11	430 x 165 x 180	12	5481.40

PAROC HVAC ALUCOAT TAPE

Fiberglass reinforced aluminum tape with acrylic pressure sensitive low temperature flame-retardant acrylic adhesive and silicized release paper liner. PAROC logo printed on the surface.



Application

- Ideal for sealing joints when using PAROC AluCoat products such as sections, lamella mats or slabs
- Gives a great finish and safe installation

Technical specifications

- Surface temperature of the insulation (processing temperature) +5 °C to +40 °C
- Temperature resistance -35 °C to +120 °C
- The surface of the insulation must be dry, free of dust and grease - dry storage at an ambient temperature of +18 °C to +25 °C and protected from direct sunlight

Length	Width	Rolls per box	Cartons/pallet	Price
mm	mm			€/roll
50000	50	24	24	29.75
50000	75	16	24	44.05

PAROC HVAC ALU TAPE

Aluminum tape with acrylic pressure sensitive low temperature flame-retardant acrylic adhesive and silicized release paper liner. PAROC logo printed on the surface.



Length mm	Width mm	Rolls per box	Cartons/pallet
25000	50	54	24
25000	75	36	24
25000	150	12	24

Need prices? Please email to Paroc.de@owenscorning.com

ACCESSORIES

PAROC HT TAPE

Special-purpose high temperature protection tape featuring superior adhesive strength. Maximal working temperature is 350 °C (peak), 250 °C (continuously)



Application

- Ideal for PAROC Fire Place Slabs and other high temperature applications.
- Highly temperature resistant and age resistant.

Length mm	Width mm	Rolls per box	Cartons/pallet
50000	50	24	24
50000	80	18	24
50000	110	12	24

Need prices? Please email to Paroc.de@owenscorning.com

PAROC HVAC DOTS

The best solution for covering the head pins used on lamella mat on a duct in a fast, clean, even, moisture-proof and convenient way



Application

- Large portfolio of accessories: Complete system including PAROC Head Pin, spatula, PAROC Hvac Lamella Mat AluCoat, PAROC Hvac Tape and PAROC Hvac Dots
- For less waste on the construction site
- Maintenance-free - will last as long as insulation
- Only spatula needed for fixation

Ø	Piece / roll	Rolls per box	Price
mm			€/roll
60	750	8	33.00

PAROC PRO CLADDING SUPPORT 100 AND 140

Mineral wool supporting ring



Application

- Easy to use and an obvious solution which can substitute standard metal supporting rings for heavy metal claddings without creating thermal bridges
- Beneficial when using material with poor compression strength for pipe insulation

Thickness mm	Diameter mm	Maximum service temperature
50 - 120	114 - 1016	640 °C - PAROC Pro Cladding Support 100 680 °C - PAROC Pro Cladding Support 140

Other dimensions on request

Need prices? Please email to Paroc.de@owenscorning.com



DURABLE

PAROC® stands for energy-efficient and fire safe insulation solutions of stone wool for new and renovated buildings, marine and offshore, acoustics and other industrial applications. Behind those products, there is an 80-year history of stone wool production knowhow backed with technical insulation expertise and innovation.



REUSABLE

Building Insulation offering covers a wide range of products and solutions for all traditional building insulation. The building insulation products are mainly used for the thermal, fire and sound insulation of exterior walls, roofs, floors and basements, intermediate floors and partitions. Sound absorbing ceilings and wall panels for interior acoustic control, as well as industrial noise control products, are available in the range.



**SOUND
REDUCING**

Technical Insulation offering includes thermal, fire and sound insulation in HVAC systems, industrial processes and pipework, industrial equipment as well as shipbuilding and offshore industry.

For more information please visit www.paroc.com



FIRE PROOF




**MOISTURE
PROOF**



SAFE



**ENERGY
EFFICIENT**



Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Paroc makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein. Paroc reserves the right to modify this document without prior notice.

Applications: October 2022

1030TIDE1022

© Paroc 2022

